


METHODS OF APPLICATION



Apply as
Irrigation
or Fertigation



Manual Application



Irrigation Systems



Watering Systems

APPLICATION GUIDE

Specific Rates

Crop Type	Minimum Dilution in Water	Application Rates	Application Growth Stage
Leafy vegetables (e.g. Broccoli, Cabbage, Cauliflower, Celery, Herbs, Lettuce, Kohlrabi, Rhubarb, Spinach, Spring Onion)	x 100	1st application at 20L/ha 2nd application at 20L/ha 3rd application at 5L/ha	Early Growth Mid-season Onset of Maturity
Fruiting vegetables (e.g. Bean, Capsicum, Corn, Cucumber, Eggplant, Melons, Pumpkin, Sweet pea, Squash, Tomato, Zucchini)	x 100	1st application at 20L/ha 2nd application at 20L/ha 3rd application at 5L/ha	Early vegetative growth Mid vegetative growth During fruit growth
Bulbs and root crops (e.g. Beet, Carrot, Garlic, Onion, Parsnip, Potato, Radish, Turnip, Sweet potato)	x 100	1st application at 20L/ha 2nd application at 20L/ha 3rd application at 5L/ha	Early vegetative growth Mid vegetative growth Early Bulking
Fruit trees (e.g. Apple, Apricot, Cherry, Citrus, Fig, Nectarines, Olives, Peaches, Pear, Persimmon, Plums)	x 100	1st application at 20L/ha 2nd application at 20L/ha 3rd application at 5L/ha	Soon after harvest 2-4 weeks before budburst During fruit growth
Grapes, Soft fruits (Strawberries and Berries)	x 100	1st application at 20L/ha 2nd application at 20L/ha 3rd application at 5L/ha 4th application at 20L/ha	2-4 weeks before budburst Pre-flowering During berry growth Soon after harvest
Young trees or Non-bearing fruit tree trees	x 100	1st application at 20L/ha 2nd application at 20L/ha 3rd application at 20L/ha	2-4 weeks before budburst Mid season Late season


Application Guide

Fertigation products should be applied at the end of the irrigation cycle to prevent fertiliser front going below the root zone. After injection, the system should run long enough to clear the fertiliser out of the lines.

HOW TO MIX



Shake
Vigorously



Mix
with Water



Mix with
other Chemicals



PRODUCT COMPATIBILITY + JAR TESTING

DO NOT mix with alkaline copper fungicides or inoculants. If you are unsure, we recommend a simple jar test of products. Mix together and check if reaction occurs.



PRECAUTIONS

Non-toxic product. Avoid unneeded contact. Keep out of the reach of children. If contact is made with eyes, immediately rinse with plenty of water. If swallowed, seek medical attention.

ANALYSIS AND PRODUCT ASSURANCE

RLF

Australian-owned Formulator, Manufacturer and Supplier of High-analysis Broad-spectrum Liquid Fertiliser technologies. For over 25 years RLF's products have been used by millions of farmers and growers world-wide. ISO 9001 Quality Assured Company since 1998.



MACRO NUTRIENTS

Phosphorus (P)
Phosphorus (P_2O_5)
Sulphur (S)

MICRO NUTRIENTS

Zinc (Zn)
Manganese (Mn)
Copper (Cu)



Member Login

Please login to be able to view this detail

Not a member yet?
[Register Here](#)

[LOG IN](#)